SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: EnaWhite Home Bleaching 6%
- · Article number: COSM015 COSM015...
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture see point 3)
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Micerium spa., Via G. Marconi, 83 - 16036 Avegno (GE), Italy, Tel.: +39-0185-7887870, Fax: +39-0185-7887970

- · Further information obtainable from: Dr. Eugenio Miceli
- · 1.4 Emergency telephone number:

Poison Control Center San Martino Hospital (Genoa, Italy) Tel.: +39-010-352808 (available 24 h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Additional information:

Contains Oils, peppermint. May produce an allergic reaction.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

Trade name: EnaWhite Home Bleaching 6%

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Dental-bleaching based on hydrogen-peroxide

Γ	· Dangerous components:					
	CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	25-50%			
	CAS: 7722-84-1 EINECS: 231-765-0	hydrogen peroxide solution Ox. Liq. 1, H271; Skin Corr. 1A, H314; Nacute Tox. 4, H302; Acute Tox. 4, H302; Acute Tox. 4, H332	2.5-10%			
	CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate © Ox. Sol. 2, H272	2.5-10%			
	CAS: 8006-90-4	Oils, peppermint	<2.5%			

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- $\cdot \textbf{4.2 Most important symptoms and effects, both acute and delayed} \ \textit{No further relevant information available}.$
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Trade name: EnaWhite Home Bleaching 6%

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Substance/product can reduce the ignition temperature of flammable substances.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in refrigerator.
- · Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Store away from metals.

· Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol

WEL Long-term value: 10 mg/m³

7722-84-1 hydrogen peroxide solution

WEL Short-term value: 2.8 mg/m³, 2 ppm Long-term value: 1.4 mg/m³, 1 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.
- · Material of gloves Natural rubber, NR
- · Penetration time of glove material

0,1 - 0,2 mm

Penetration time: 5 min.

- · Eye protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

CD

Trade name: EnaWhite Home Bleaching 6%

(Contd. of page 3)

SECTION 9: Physical and chemic	cal properties
•	* *
9.1 Information on basic physical and ch General Information	nemical properties
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Peppermint-like
Odour threshold:	Not determined.
pH-value at 20 °C:	6
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	· 100 °C
Flash point:	160 °C
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	400 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.9 Vol %
Upper:	0.0 Vol %
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.25646 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Exothermic thermal decomposition

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous reactions

Reacts with various metals

Reacts with reducing agents

Reacts with catalysts

Acts as an oxidizing agent on organic materials such as wood, paper and fats

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Trade name: EnaWhite Home Bleaching 6%

(Contd. of page 4)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

LD-50/dermal > 2000 mg/kg rab

Glycerol oral > 12.600 mg/kg rat dermal > 10.000 mg/kg rbt

dermal > 10.000 mg/kg rbt inhal./4h is above the saturation

limit

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is easily biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

06 13 99 wastes not otherwise specified

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 6)

GP.

Trade name: EnaWhite Home Bleaching 6%

(Contd. of page 5)

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	e x II of Not applicable.	
· UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Technical instructions (air):

Class	Share in	%
NK	25-50	

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 7)

Printing date 25.02.2019 Version: 1 Revision: 25.02.2019

Trade name: EnaWhite Home Bleaching 6%

(Contd. of page 6)

· Department issuing SDS: Micerium S.p.a.

· Contact: Dr. Eugenio Miceli

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 1: Oxidizing liquids - Category 1

Ox. Sol. 2: Oxidizing solids - Category 2 Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2