Printing date 11.08.2015

vivader

×

Version number 4

Revision: 10.08.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: VivaStyle Paint On Plus

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Tooth whitening varnish
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Ivoclar Vivadent AG
 Bendererstrasse 2
 FL-9494 Schaan
 PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- \cdot Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.*

· Hazard pictograms



· Signal word Danger

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

1 recumionary siai	emenus
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P233	Keep container tightly closed.
P305+P351+P338	³ <i>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>
P337+P313	If eye irritation persists: Get medical advice/attention.
Additional inform	ation:
Cosmetics which for	all under Regulation (EC) 1223/2009 are exempt from the labeling requirements of
Directive 1999/45/	EC and Regulation (EC) 1272/2008.

(Contd. on page 2)

Printing date 11.08.2015

Version number 4

Revision: 10.08.2015

Trade name: VivaStyle Paint On Plus

(Contd. of page 1)

• Regulation (EC) No 1223/2009 on cosmetic products

Contains hydrogen peroxide. Avoid contact with eyes. Rinse immediately if product comes into contact with them. Not to be used on a person under 18 years of age. To be only sold to dental practitioners. For each cycle of use, the first use to be only done by dental practitioners or under their direct supervision if an equivalent level of safety is ensured. Afterwards to be provided to the consumer to complete the cycle of use. Keep out of the reach of children.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	ethanol	50-100%
EINECS: 200-578-6	Flam. Liq. 2, H225	
	hydrogen peroxide solution	2.5-10%
EINECS: 231-765-0	Ox. Liq. 1, H271; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H332	
· Additional informati	on: For the wording of the listed risk phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

- Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device. No special measures required.

(Contd. on page 3)

GB

Printing date 11.08.2015

Version number 4

Revision: 10.08.2015

(Contd. of page 2)

Trade name: VivaStyle Paint On Plus

• Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Only adequately trained personnel should handle this product.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required. • Further information about storage conditions:
- Keep container tightly sealed.
- Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- CAS: 64-17-5 ethanol

WEL () Long-term value: 1920 mg/m³, 1000 ppm

CAS: 7722-84-1 hydrogen peroxide solution

WEL () Short-term value: 2.8 mg/m³, 2 ppm

Long-term value: 1.4 mg/m³, 1 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Usual hygienic measures for dental practice. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

(Contd. on page 4)

GB

Printing date 11.08.2015

Version number 4

Revision: 10.08.2015

Trade name: VivaStyle Paint On Plus

· Respiratory protection:

(Contd. of page 3)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9.1 Information on basic physical a General Information	nd chemical properties
Appearance:	
Form:	Viscous
Colour:	Colourless
Odour:	Alcohol-like
Odour threshold:	Not determined.
pH-value:	6.5 - 7.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C
Flash point:	13 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
Vapour pressure at 20 °C:	59 hPa
Density at 20 °C:	0.85 g/cm^3

Printing date 11.08.2015

Version number 4

Revision: 10.08.2015

Trade name: VivaStyle Paint On Plus

		(Contd. of page
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octano	l/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- Reacts with certain metals.

Reacts with alkali (lyes).

Reacts with organic substances.

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

⁻ GB

Printing date 11.08.2015

Version number 4

Revision: 10.08.2015

(Contd. of page 5)

GB

Trade name: VivaStyle Paint On Plus

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· European waste catalogue

18 01 06* chemicals consisting of or containing dangerous substances

· Uncleaned packaging:

×

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR,RID,ADN, IMDG, IATA	1170
14.2 UN proper shipping name	
ADR/RID/ADN	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION
IATA	ETHANOL SOLUTION
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR,RID,ADN, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.

Printing date 11.08.2015

Version number 4

Revision: 10.08.2015

Trade name: VivaStyle Paint On Plus

	(Contd. of page
· EMS Number:	F-E,S-D
• 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	LQ4
· Transport category	2
• Tunnel restriction code	D/E
· UN ''Model Regulation'':	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- The product is a cosmetic according to Regulation (EC) 1223/2009.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H271 May cause fire or explosion; strong oxidiser. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H332 Harmful if inhaled. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Ox. Liq. 1: Oxidising Liquids, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 • * Data compared to the previous version altered.

GB