

according to Regulation (EC) No 1907/2006

# freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 1 of 15

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

freeprint® IBT

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: DETAX GmbH
Street: Carl-Zeiss-Straße 4
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

E-mail: post@detax.com Internet: www.detax.com

Responsible Department: This number is only obtainable during office hours

(Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

**1.4. Emergency telephone** +1-800-424-9300 (CHEMTREC worldwide)

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

### Hazard components for labelling

(Octahydro-4,7-methano-1H-indenyl)methyl acrylate 2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester

Urethanacrylat Oligomer Urethane Dimenthacrylate 2-hydroxyethyl acrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

2-hydroxyethyl methacrylate

Signal word: Warning

Pictograms:





### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 2 of 15

# **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 3 of 15

# **Hazardous components**

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification (Regulation (EC	(c) No 1272/2008)			
93962-84-6	(Octahydro-4,7-methano-1H-i	ndenyl)methyl acrylate		20 - < 40 %	
	300-723-4		01-2120785023-58		
	Skin Irrit. 2, Eye Irrit. 2, Skin S H411	Sens. 1B, STOT SE 3, Aquatic	Chronic 2; H315 H319 H317 H335		
66492-51-1	2-Propenoic acid, (5-ethyl-1,3	-dioxan-5-yl)methyl ester		20 - < 40 %	
	266-380-7				
	Skin Irrit. 2, Skin Sens. 1, Aqu	atic Chronic 2; H315 H317 H4	11		
	Urethanacrylat Oligomer			20 - < 40 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin S	Sens. 1, STOT SE 3; H315 H31	9 H317 H335		
72869-86-4	Urethane Dimenthacrylate			5 - < 20 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin S	Sens. 1, STOT SE 3; H315 H31	9 H317 H335		
142-90-5	dodecyl methacrylate			5 - < 20 %	
	205-570-6	607-247-00-9	01-2119489778-11		
	STOT SE 3; H335				
15625-89-5	2,2-bis(acryloyloxymethyl)but	yl acrylate, trimethylolpropane	riacrylate	0.1 - < 5 %	
	239-701-3	607-111-00-9			
	Carc. 2, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H351 H315 H319 H317 H400 H410				
5187-23-5	5-ethyl-1,3-dioxane-5-methan	0.1 - < 5 %			
	225-967-8				
	Eye Irrit. 2; H319				
818-61-1	2-hydroxyethyl acrylate			0.1 - < 5 %	
	212-454-9	607-072-00-8			
	Acute Tox. 3, Skin Corr. 1B, S	Skin Sens. 1, Aquatic Acute 1; I	H311 H314 H317 H400		
75980-60-8	diphenyl(2,4,6-trimethylbenzo	0.1 - < 5 %			
	278-355-8	015-203-00-X	01-2119972295-29		
	Repr. 2, Skin Sens. 1B, Aqua	tic Chronic 2; H361 H317 H411			
868-77-9	2-hydroxyethyl methacrylate	0.1 - < 5 %			
	212-782-2	607-124-00-X	01-2119490169-29		
	Skin Irrit. 2, Eye Irrit. 2, Skin S	Sens. 1; H315 H319 H317			
128-37-0	"BHT; butylated hydroxytolue	0.1 - < 5 %			
	204-881-4				
	Acute Tox. 4, Skin Irrit. 2, Eye H410				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 4 of 15

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
93962-84-6	300-723-4	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate	20 - < 40 %
	oral: LD50 =	2000 mg/kg	
66492-51-1	266-380-7	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester	20 - < 40 %
	dermal: LD5	0 = 2000 mg/kg; oral: LD50 = >2000 mg/kg	
142-90-5	205-570-6	dodecyl methacrylate	5 - < 20 %
	dermal: LD5	0 = >3000 mg/kg; oral: LD50 = >5000 mg/kg STOT SE 3; H335: >= 10 - 100	
15625-89-5	239-701-3	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate	0.1 - < 5 %
	I	0 = >2000 mg/kg; oral: LD50 = >5000 mg/kg Aquatic Acute 1; H400: M=1 nic 1; H410: M=1	
818-61-1	212-454-9	2-hydroxyethyl acrylate	0.1 - < 5 %
	dermal: LD5	0 = 298 mg/kg; oral: LD50 = 548 mg/kg Skin Sens. 1; H317: >= 0,2 - 100	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.1 - < 5 %
	dermal: LD5	0 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0.1 - < 5 %
	dermal: LD5	0 = >5000 mg/kg; oral: LD50 = 5564 mg/kg	
128-37-0	204-881-4	"BHT; butylated hydroxytoluene"	0.1 - < 5 %
	dermal: LD5	0 = >2000 mg/kg; oral: LD50 = 890 mg/kg	

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



according to Regulation (EC) No 1907/2006

## freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 5 of 15

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
Worker DNEL,	long-term	inhalation	systemic	0,822 mg/m³	
Worker DNEL, long-term		dermal	systemic	0,233 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	0,145 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,0833 mg/kg bw/day	
Consumer DNE	Consumer DNEL, long-term		systemic	0,0833 mg/kg bw/day	



according to Regulation (EC) No 1907/2006

# freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 6 of 15

### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

NBR (Nitrile rubber)

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid: Colour: clear

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not applicable not applicable Lower explosion limits: not determined

Upper explosion limits:

not determined

not determined

Flash point: >100 °C DIN 51755

Decomposition temperature: >=190 °C
pH-Value: not determined
Water solubility: The study does not need to be conducted
because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,09 g/cm³ DIN 51757

Relative vapour density: not determined

# 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not applicable
Gas: not applicable





according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 7 of 15

Oxidizing properties

Not oxidizing.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) 30232 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 8 of 15

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
93962-84-6	(Octahydro-4,7-metha	no-1H-indeny	l)methyl acry	late				
	oral	LD50 mg/kg	2000	Rat		OECD 423		
66492-51-1	2-Propenoic acid, (5-e	ethyl-1,3-dioxa	ın-5-yl)methyl	ester				
	oral	LD50 mg/kg	>2000	Rat				
	dermal	LD50 mg/kg	2000	Rat				
142-90-5	dodecyl methacrylate							
	oral	LD50 mg/kg	>5000	Rat	OECD 401			
	dermal	LD50 mg/kg	>3000	Rabbit				
15625-89-5	2,2-bis(acryloyloxyme	thyl)butyl acry	late, trimethy	lolpropane triacryla	te			
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
818-61-1	2-hydroxyethyl acrylat	2-hydroxyethyl acrylate						
	oral	LD50 mg/kg	548	Rat				
	dermal	LD50 mg/kg	298	Rabbit	GESTIS			
75980-60-8	diphenyl(2,4,6-trimeth	ylbenzoyl)pho	sphine oxide					
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
868-77-9	2-hydroxyethyl metha	crylate						
	oral	LD50 mg/kg	5564	Rat				
	dermal	LD50 mg/kg	>5000	Rabbit				
128-37-0	"BHT; butylated hydro	xytoluene"						
	oral	LD50 mg/kg	890	Rat				
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			

# Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

### Sensitising effects

May cause an allergic skin reaction. ((Octahydro-4,7-methano-1H-indenyl)methyl acrylate; 2-Propenoic acid,

(5-ethyl-1,3-dioxan-5-yl)methyl ester; Urethanacrylat Oligomer; Urethane Dimenthacrylate;

2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate; 2-hydroxyethyl acrylate;

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; 2-hydroxyethyl methacrylate)

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

# freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 9 of 15

### STOT-single exposure

May cause respiratory irritation. ((Octahydro-4,7-methano-1H-indenyl)methyl acrylate; Urethanacrylat Oligomer)

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 10 of 15

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
93962-84-6	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate						
	Acute fish toxicity	LC50	1,8 mg/l	96 h	Danio rerio (zebrafish)		OECD 203
	Acute algae toxicity	ErC50 mg/l	1,15	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 mg/l	2,64	48 h	Daphnia magna (Big water flea)		OECD 202
66492-51-1	2-Propenoic acid, (5-ethy	l-1,3-dioxan-	5-yl)methyl	ester			
	Acute fish toxicity	LC50	4 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	34 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50	20 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	>1,000	3 h	Activated sludge		
15625-89-5	2,2-bis(acryloyloxymethyl	)butyl acryla	te, trimethylo	olpropane	e triacrylate		
	Acute algae toxicity	ErC50 mg/l	4,86	96 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	19,9	48 h	Daphnia magna (Big water flea)		
818-61-1	2-hydroxyethyl acrylate						
	Acute fish toxicity	LC50	4,8 mg/l	96 h		GESTIS	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge		
868-77-9	2-hydroxyethyl methacryl	ate					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202
128-37-0	"BHT; butylated hydroxyto	oluene"					
_	Acute crustacea toxicity	EC50 mg/l	0,48	48 h	Daphnia pulex (water flea)		
	<del>!</del>	-					!

# 12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 11 of 15

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation		-	•			
93962-84-6	(Octahydro-4,7-methano-1H-indenyl)methyl acrylate						
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	11,8%	28				
	Not readily biodegradable (according to OECD criteri	a)					
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester						
	Evidence for inherent biodegradability.	28%	28				
142-90-5	dodecyl methacrylate						
	OECD 201	88,5%	28				
	Readily biodegradable (according to OECD criteria).						
15625-89-5	25-89-5 2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate						
		86%	28				
	Readily biodegradable (according to OECD criteria).						
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
		0-10%	28				
	Not readily biodegradable (according to OECD criteri	a)					
868-77-9	2-hydroxyethyl methacrylate						
		92-100%	14				
	Readily biodegradable (according to OECD criteria).						

### 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester	1,9
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate	0,67
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
128-37-0	"BHT; butylated hydroxytoluene"	5,1

# BCF

CAS No	Chemical name	BCF	Species	Source
142-90-5	dodecyl methacrylate	37	Danio rerio (zebrafish)	OECD 305
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	

### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

# **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

# freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 12 of 15

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code:

Marine transport (IMDG)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: (Octahydro-4,7-methano-1H-indenyl)methyl acrylate

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

Other applicable information (marine transport)

Flash point: >100°C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: (Octahydro-4,7-methano-1H-indenyl)methyl acrylate

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions: A97 A158 A197

Limited quantity Passenger: 30 kg G
Passenger LQ: Y964
Excepted quantity: E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

14.6. Special precautions for user





according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 13 of 15

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

E2 Hazardous to the Aquatic Environment

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

freeprint® IBT

Revision date: 30.11.2023 Product code: 1105 Page 14 of 15

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation
Carc: Carcinogenicity
Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method



according to Regulation (EC) No 1907/2006

freeprint® IBT	free	print®	<b>IBT</b>
----------------	------	--------	------------

Revision date: 30.11.2023 Product code: 1105 Page 15 of 15

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Toxic to aquatic life with long lasting effects.

### **Further Information**

H411

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)