

Print date: 02.06.17 Replaces Version: 1/ Date revised: 01.06.2017 Version: 2/GB

GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher Septo Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

disinfectants, Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Fax no.

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 +49 40 789 60 120

www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) 1 800 535 5053 or international +1 352 323 3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Dispose only when container is empty and closed. For disposal of product

residues, refer to Safety Data Sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate; isotridecanol,

ethoxylated

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

isotridecanol, ethoxylated

CAS No. 69011-36-5

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Eye Dam. 1 H318

fatty alcohols, alkoxylated

CAS No. 120313-48-6

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Aquatic Acute 1 H400 Aquatic Chronic 3 H412

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

CAS No. 94667-33-1 EINECS no. 619-057-3

Registration no. 01-2119950327-36

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 M = 10Aquatic Chronic M = 10

1

Ethanediol

CAS No. 107-21-1 EINECS no. 203-473-3

Registration no. 01-2119456816-28

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

Acute Tox. 4 H302

Propan-2-ol

CAS No. 67-63-0 EINECS no. 200-661-7

Registration no. 01-2119457558-25

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336

2-(2-Butoxyethoxy)ethanol

CAS No. 112-34-5 EINECS no. 203-961-6

Registration no. 01-2119475104-44

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class according to TRGS 510

Storage class according to 8A Combustible corrosive hazardous substances TRGS 510

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

Ethanediol

List EH40 Type WEL

Value 10 mg/m³ Skin resorption / sensibilisation: Sk; Status: 2011

Propan-2-ol

List EH40 Type WEL

Value 999 mg/m^3 400 ppm(V)Short term exposure limit 1250 mg/m^3 500 ppm(V)

Status: 2011

2-(2-Butoxyethoxy)ethanol

List EH40 Type WEL

Value 67.5 mg/m³ 10 ppm(V)
Short term exposure limit 101.2 mg/m³ 15 ppm(V)

Status: 2011

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2

Hand protection

Chemical resistant gloves (EN 374)

Use Permanent hand contact neoprene Appropriate Material Material thickness 0.65 mm Breakthrough time 480 min Appropriate Material nitrile Material thickness 0,4 mm Breakthrough time 480 min Appropriate Material butyl Material thickness 0,7 >= mm Breakthrough time 480 min Short-term hand contact Appropriate Material nitrile Material thickness 0.11 mm >=

Eye protection

Safety glasses with side protection shield (EN 166)

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid

Odour threshold



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

Remarks not determined

pH value

Value appr. 6,5

Temperature 20 °C

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Value 54 °C

Method DIN EN 22719 / ISO 2719

Remarks Negative results are obtained in the sustained combustibility test (UN

test L.2).

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

evaluation not determined

Upper/lower flammability or explosive limits

Remarks not determined

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Value 1,00 g/cm³

Temperature 20 °C

Solubility in water

Remarks miscible in all proportions

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Viscosity

Remarks not determined

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species rat

LD50 > 2000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species rat

LD50 1157 mg/kg

Method OECD 401

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation corrosive

Serious eye damage/irritation

evaluation corrosive

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks not determined

Aspiration hazard

No special hazards have to be mentioned.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species zebra fish (Brachydanio rerio)

LC50 0,78 mg/l Duration of exposure 96 h

Method OECD 203

isotridecanol, ethoxylated

Species carp (Cyprinus carpio)

LC50 1 to 10 mg/l

Duration of exposure 96 h

Method OECD 203

Daphnia toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species Daphnia magna

EC50 0,07 mg/l

Duration of exposure 48 h

Method OECD 202

isotridecanol, ethoxylated

Species Daphnia magna

EC50 1 to 10 mg/l

Duration of exposure 48 h

Method OECD 202

Algae toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species Scenedesmus subspicatus

EbC50 0,15 mg/l

Duration of exposure 72 h

Method OECD 201

isotridecanol, ethoxylated

Species Scenedesmus subspicatus

EC50 1 to 10 mg/l

Duration of exposure 72 h

Method OECD 201



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

Bacteria toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species activated sludge

EC50 16,8 mg/l

Duration of exposure 3 h

Method OECD 209

isotridecanol, ethoxylated

Species activated sludge

EC50 140 mg/l

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport	Air transport ICAO/IATA
		IMDG/GGVSee	



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

14.1. UN number	1903	1903	1903
14.2. UN proper shipping name	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N- didecyl-N-methyl- poly(oxyethyl)ammonium propionate)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N- didecyl-N-methyl- poly(oxyethyl)ammonium propionate)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N- didecyl-N-methyl- poly(oxyethyl)ammonium propionate)
14.3. Transport hazard class(es)	8	8	8
Label		8	
14.4. Packing group	III	Ш	Ш
Limited Quantity	5 I		
Transport category	3		
14.5. Environmental hazards	ENVIRONMENTALLY HAZARDOUS	Marine Pollutant	ENVIRONMENTALLY HAZARDOUS
Tunnel restriction code	E		
IMDG-Code segregation group		0 Not applicable	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 96/82/EC

Category 9.I Dangerous for environment 100.000 kg 200.000 kg

Ingredients (Regulation (EC) No 648/2004)

less than 5 %:

non-ionic surfactants

Further ingredients

disinfectants

Water Hazard Class (Germany)

Water Hazard Class WGK 2



Version: 2 / GB Replaces Version: 1 / Date revised: 01.06.2017 Print date: 02.06.17

GB

(Germany)

Remarks Classification according to Annex 4 VwVwS

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.
 Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Eye Dam. 1 Serious eye damage, Category 1

Eye Irrit. 2 Eye irritation, Category 2
Flam. Liq. 2 Flammable liquid, Category 2
Skin Corr. 1B Skin corrosion, Category 1B
Skin Irrit. 2 Skin irritation, Category 2

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a
guarantee for any specific product properties and shall not establish a legally valid relationship.